# **HIGHWAY PERMITS**

<ul> <li>Permit to Open</li> </ul>	, Occupy, Use and obstruct a portion of a public way
No Street O	pening permits allowed from Nov. 15 <sup>th</sup> – April 1 <sup>st</sup>
	Opening permits allowed on streets recently paved {within 5 years} hway/Streets/StreetsPaved)
Fee - \$75 fo	or first 28', + \$2 for each additional foot of trench.
Bond – Mi	nimum \$5,000
Showin Town	For Contractor) –  Ing Liability & Workman's Comp  of Westwood <u><b>DPW</b></u> listed as Additional Insured  of Westwood must be listed as Certificate Holder
Dig Safe #	
	<ul> <li>Dedham Westwood Water District – 781-329-7090</li> <li>Drains – 781-251-2589</li> </ul>
Signatures -	- Applicant and Excavator (If different from applicant)
See attached for	repair of Utility Excavation work in Public Ways
If with If at an buffer going t Is it on a Scenic Canton Grove Woodl If Yes (below - Are th If yes t office p If at an met, th	in 125' on GIS need to see Karon before getting permit by time during project it is determined to be within the 100' wetland zone or 200' riverfront buffer zone, the contractor is responsible for through the conservation agent.  Way? Yes No  Street, Dover Road, Downey Street, East Street, Everett Street, Street, Milk Street, Mill Street, Sandy Valley Road, Summer Street, and Road  wapplies to within the public right of way)  they removing any trees greater than 4" caliper? Yes No  to any of the questions above, they need to see Nora in planning prior to getting a permit.  They time during the project either of the above criteria is going to be the contractor is responsible for going through the planning board
Se Sig	eting to the Town drain system? Yes No be Article 18A for allowed connections gn indemnification form rawing to show how/what connecting
* Permit clear	ly states <b>Flowable fill</b> must be used on all roadway excavations.

<sup>\*</sup> Permit clearly states **Flowable fill** must be used on all roadway excavations. Delivery Slip for flowable fill showing job location must be turned in at end of job.

Fee - \$10		
Is it a trench? A trench is defined as a subsurface excavation greater than 3' in		
depth and is 15' or less between soil walls as measured from the bottom. (See		
attached from Commonwealth of Massachusetts)		
attached from Commonweatth of Wassachusetts)		
Insurance (for Contractor) –		
Showing Liability and Workman's Comp		
Town of Westwood <b>DPW</b> listed as Additional Insured		
Town of Westwood must be listed as Additional histied  Town of Westwood must be listed as Certificate Holder		
Town of westwood must be fisted as Certificate Holder		
Dig Safe #		
Markouts:		
Water – Dedham Westwood Water District – 781-329-7090		
Sewer & Drains – 781-251-2589		
Signatures – Applicant and Excavator (If different from applicant) and		
Must have Owners signature		
Is it man Wetler de ? Ves No		
Is it near Wetlands? Yes No		
If within 125' on GIS need to see Karon before getting permit		
If at any time during project it is determined to be within the 100' wetland		
buffer zone or 200' riverfront buffer zone, the contractor is responsible for		
going through the conservation agent.		
Is it on a Scenic Way? Yes No		
Canton Street, Dover Road, Downey Street, East Street, Everett Street,		
Grove Street, Milk Street, Mill Street, Sandy Valley Road, Summer Street,		
Woodland Road		
If Yes (below applies to within the public right of way)		
- Are they removing any trees greater than 4" caliper? Yes No		
- Are they removing more than 15' of a stonewall? Yes No		
If yes to any of the questions above, they need to see Nora in planning		
office prior to getting a permit.		
If at any time during the project either of the above criteria is going to be		
met, the contractor is responsible for going through the planning board		
agent.		

2 – Permit to open a trench on private property

<sup>\*</sup> Permit clearly states **Flowable fill** must be used on all roadway excavations. Delivery Slip for flowable fill showing job location must be turned in at end of job

#### STANDARD CONDITIONS

### **Drain System Connection:**

Owner/Applicant certifies that no pollutant and only the following exempt discharges will be carried through the drain connection to the public storm drain system;

**Springs** 

Natural flow from riparian habitats and wetlands

Diverted stream flow

Rising groundwater

Uncontaminated groundwater infiltration as defined in 40CFR 35.2005(20)

Owner/Applicant certifies that no roof drains or any other storm water from the property is directly connected into the subject drainage system; and that no pump exists or will exist that pumps water into the public storm drain system.

## Street Opening:

If a street needs to be closed to traffic at any time, a street closing permit must be filed with the Board of Selectmen's office at Town Hall.

Police details are the responsibility of the Excavator.

Excavator is responsible for maintenance on the trench for at least 1 year.

48 hours notification to Highway Department prior to working in the street

Town of Westwood DPW has the right to refuse work on a Friday based on severity of disruption to street and traffic.

If a sidewalk is disturbed, repair will be made with like material. Asphalt may be used as a temporary patch. Final repair shall be made within 30 days of completing work.

Driveway apron: If a sidewalk exists, driveway apron must meet existing grade on each side and be ADA compliant.

## Street Trench Requirements:

Flowable Fill must be used on all roadway excavations. Delivery slip showing job location must be turned in at the end of the job.

Must match pavement depth, with a minimum of 2 ½ inches base and 1 ½ inches top

Edge of trench must be sealed with emulsified asphalt tack.

The Town of Westwood has the right to ask for any asphalt trench work to be infrared to seal all joints.